

# Modelling NO<sub>x</sub> in two street canyons in Copenhagen using an improved version of OSPM

Thor-Bjørn Ottosen<sup>1</sup> Matthias Ketzel<sup>2</sup> Ole Hertel<sup>2</sup> Jørgen Brandt<sup>2</sup> Henrik Skov<sup>2,3</sup> Konstantinos Kakosimos<sup>4</sup>

<sup>1</sup>Institute of Science and the Environment, University of Worcester

<sup>2</sup>Department of Environmental Science, Aarhus University

<sup>3</sup>Department of Chemical Engineering, Biotechnology and Environmental Technology, University of Southern Denmark

<sup>4</sup>Department of Chemical Engineering, Texas A&M University at Qatar

17<sup>th</sup> International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes

# Outline

- 1 Introduction to OSPM
- 2 Motivation
- 3 Introduction to cases
- 4 Summary of paper by Ottosen et al. (2016)
- 5 Impact of new wind speed model in OSPM
- 6 Summary

# Introduction to OSPM

Roof level wind


Background pollution

Recirculating air

Direct plume

Leeward receptor

Windward receptor



# Motivation

The *fRoof* parameter:

- In the original OSPM 0.82

# Motivation

The *fRoof* parameter:

- In the original OSPM 0.82
- Changed to 0.4 when the COPERT emission model was introduced in OSPM

# Motivation

The *fRoof* parameter:

- In the original OSPM 0.82
- Changed to 0.4 when the COPERT emission model was introduced in OSPM
- Changed several times since then to reflect better knowledge of model input (e.g. driving speeds, receptor heights, etc.)


# Motivation

The *fRoof* parameter:

- In the original OSPM 0.82
- Changed to 0.4 when the COPERT emission model was introduced in OSPM
- Changed several times since then to reflect better knowledge of model input (e.g. driving speeds, receptor heights, etc.)
- Very little physical science basis for this number


# Introduction to cases

Jagtvej




# Introduction to cases

H. C. Andersens Boulevard



# Model development




# Measurements




# Results

Median values Jagtvej



# Results


Median values H. C. Andersens Boulevard



# Impact of new wind speed model in OSPM

Model comparison:


Jagtvej:



# Impact of new wind speed model in OSPM

Model comparison:


H. C. Andersens Boulevard:



# Impact of new wind speed model in OSPM

Concentrations:


Jagtvej:



# Impact of new wind speed model in OSPM

Concentrations:

## H. C. Andersens Boulevard:



# Summary

- It is to some extent possible to extrapolate the urban wind speed based on a measured wind speed

# Summary

- It is to some extent possible to extrapolate the urban wind speed based on a measured wind speed
- Modelling the roof-level wind speed is challenging

# Summary

- It is to some extent possible to extrapolate the urban wind speed based on a measured wind speed
- Modelling the roof-level wind speed is challenging
- Large difference in the sensitivity of the two streets to the roof-level wind speed

# Summary

- It is to some extent possible to extrapolate the urban wind speed based on a measured wind speed
- Modelling the roof-level wind speed is challenging
- Large difference in the sensitivity of the two streets to the roof-level wind speed
- It is not known whether a more advanced model would perform better