

TABLE OF CONTENTS

Opening session

<i>Olesen, H.</i> Introduction to the 8th harmonisation conference	2
<i>Scorer, R.</i> The need for climatological statistics of urban air pollution and a numerical matrix to support legislation	6

Topic 1. Validation and Intercomparison of Models; Model Evaluation Methodology

<i>Brook, D. R., N.V. Beck, C. M. Clem, D. C. Strickland, I.H.Griffiths, D. J. Hall, R. D. Kingdon, J. M. Hargrave</i> Validation of the Urban Dispersion Model (UDM)	8
<i>Caputo, M., M. Gimenez and M. Schlamp</i> Atmospheric dispersion models intercomparison under two atmospheric stability conditions	13
<i>Davakis, E., S. Andronopoulos, J.G. Bartzis and S. Nychas</i> Validation of the lagrangian model DIPCOT for mesoscale and long-range atmospheric dispersion over complex terrain	19
<i>Decanini, E. and M. Volta</i> A flexible model system for air pollution simulation and control in Northern Italy	24
<i>Eleveld, H.</i> Improvement of dispersion models by using RIVM's model validation tool	29
<i>Gabusi, V., C. Pertot and G. Finzi</i> Performance assessment of long-term photochemical modelling system	34
<i>Genikhovich, E.</i> Indicators of performance of dispersion models and their reference values	40
<i>Hill, R. A., I. Lowles, V. Auld and T. G. Parker</i> Probabilistic evaluation of models for the atmospheric dispersion of effluents released from a complex site	48
<i>Irwin, J.S., D. Carruthers and J. Paumier</i> Application of ASTM D6589 to evaluate dispersion model performance to simulate average centerline concentration values	53
<i>Kok, Y.S., H. Eleveld, H. Schnadt, J. Gregor, H. Böttger and C. Salfeld</i> Model comparison at the parameter level within the Dutch-German Commission for nuclear facilities in the border region	58

<i>Kukkonen, J., A. Karppinen, L. Wallenius, J. Ruuskanen, T. Patama, M. Kolehmainen, S. Dorling, R. Foxall, G. Cawley, D. Mandic, T. Chatterton, M. Zickus and A. Greig</i>	
Evaluation of neural network, statistical and deterministic models against the measured concentrations of NO ₂ , PM ₁₀ and PM _{2.5} in an urban area	63
<i>Lauritzen, B., H.K.Aage, P. Astrup, K. Bargholz, M. Drews, H. Joergensen, U. Corsbech, T. Mikkelsen, C. Rojas-Palma, S. Thykier-Nielsen and R. Van Ammel</i>	
Atmospheric dispersion of radioactive releases from a research reactor: measurement and modelling of plume geometry and gamma radiation field	68
<i>Lohmeyer, A., U. Lambrecht, Z. Peranic and R. Boesinger</i>	
Validation of vehicle road PM ₁₀ emission models by the Karlsruhe PM validation data set and the results of the regular German State monitoring stations	73
<i>Luhar, A. K. and P. J. Hurley</i>	
Comparison of meteorological and dispersion predictions obtained using TAPM with the Kincaid (rural), Indianapolis (urban) and Kwinana (coastal) field data sets	77
<i>Ma, J. and S. M. Daggupta</i>	
A numerical investigation of impact of near-source, local source and reemission on the budget of gamma-hexachlorocyclohexane over Great Lakes and St. Lawrence ecosystem	82
<i>Moussiopoulos, N., I. Douros, P. Louka, C. Simonidis and A. Arvanitis</i>	
Evaluation of MEMO using the ESCOMPTE pre-campaign dataset	87
<i>Saltbones, J., A. Foss and J. Bartnicki</i>	
Inter-comparison of real-time dispersion model results, supporting decision-making in case of nuclear accidents and focusing on quantification of uncertainty	92
<i>Scire, J. and F. Robe</i>	
Evaluating performance of meteorological models in regulatory application studies	97
<i>Thykier-Nielsen, S. and V. Coelho Olsen</i>	
Øresund revisited by RIMPUFF	98
<i>Wagner, S., A. Clappier, K. Cuvelier and Phillippe Thunis</i>	
On a two-way nesting method for air pollution modelling. Application to the ESCOMPTE area	103
<i>Webster, H. N., D. J. Thomson, A. L. Redington and D. B. Ryall</i>	
Validation of a Lagrangian model plume rise scheme against the Kincaid data set	109
<i>Zanini, G., R. Bellasio, R. Bianconi, L. Delle Monache, M. Kolarova, R. Lorenzini, S. Mosca, F. Monforti, S. Peverieri and L. Vitali</i>	
PLPM (Photochemical Lagrangian Particle model): formulation and preliminary validation	114

<i>Chang, J. C.</i> Implementation of ASTM D6589 procedures in the new BOOT model evaluation software	120
<i>Corti, A., D. Contini and E. Canepa</i> Wind tunnel measurements of dispersion above complex terrain and a first model validation exercise	121
<i>Leitl, B., M. Schatzmann, H. Thielen and R. Martens</i> Validation data sets for pollutant dispersion from ground-level sources	122
<i>Pereira, M. M. R. and A. P. Oliveira</i> Investigation of radionuclides dispersion using a Lagrangian particle model	123
<i>Suppan, P. and A. N. Skouloudis</i> Inter-comparison of two air quality modelling systems for a case study in Berlin	124
<i>Atanassov, D. G.</i> Validation of the Eulerian Pollutant Transport Model PolTran on the Kincaid data set	125
<i>Atanassov, D. G. and T. Spassova</i> Testing of numerical advection schemes and splitting techniques used in pollution dispersion modeling on an analytic solution	129
<i>Kaasik, M. and V. Kimmel</i> Validation of the improved AEROPOL model against the Copenhagen data set	134
<i>Maro, D., P. Germain, D. Hebert, L. Solier, M. Rozet, G. Leclerc and S. Le Cavalier</i> Krypton 85 : a tool for investigating near field atmospheric dispersion for elevated emissions around La Hague spent fuel nuclear reprocessing plant	138
<i>Mangia, C., I. Schipa, A. Tanzarella, D.M. Moreira, T. Tirabassi, G.A. Degrazia and U. Rizza</i> Dispersion parameters derived from turbulent Eulerian spectra: evaluation in different atmospheric conditions	144
<i>Markoski, A., G. Kanevce, Lj. Kanevce and G. Trombev</i> Evaluation Of MADAM Model using Kincaid data set	145
<i>Marques Filho, E. P. and A. P. de Oliveira</i> Numerical simulation of a passive pollutant in a highly convective boundary layer using large eddy simulation model	146
Topic 2. Regulatory models: country review	
<i>Bijwaard, H. and H. Eleveld</i> Comparison of atmospheric dispersion modelling according to old and new regulations in the Netherlands	148

<i>Graff, A.</i> The new German Regulatory model - A Lagrangian particle dispersion model	153
<i>Kadikis, N., T. Vasiljeva, L. Jevtushenko, I. Lyulko and E. Smalins</i> Air quality modelling as a part of complex air management system in Latvia	159
<i>Schulze, R. H., W. Dai, and C. M. Otto</i> Managing air quality during regulatory changes	164
<i>Verhoef, N. B.</i> Assessment of airborne radioactive routine releases in the Netherlands	169
<i>Walsh, C. and J.A Jones</i> Atmospheric dispersion in the vicinity of buildings - application of ADMS 3.1 and a simple R-91 type model	174
<i>Gaboriaud, L., A. Fresneau, E. M. Eriksson and S. Verley</i> Evaluation of human health risk within regulatory purposes	179
<i>Gromkova, N., K. Ganey, D. Yordanov, E. Georgieva, R. Dimitrova and N. Miloshev</i> Dispersion regulatory model for designing new industrial stacks - software PLUME	180
Topic 3. Short distance dispersion modelling; meteorological pre-processing	
<i>Aubrun, S., B. Leitl and M. Schatzmann</i> Validation data for odour dispersion models	186
<i>Cocci Grifoni, R., F. Bisegna and G. Passerini</i> A refinement of AERMOD results by means of mesoscale model simulation	191
<i>Ferenczi, Z.</i> Investigation of meso-scale transport processes by means of a puff model	196
<i>Gryning, S.-E. and E. Batchvarova</i> Marine Boundary-layer height estimated from NWP model output	200
<i>Maro, D., M. Bouzom, F. Bompay, C. Lac and D. Herbert</i> Comparison of Lagrangian atmospheric dispersion models (DIFPAR, SPRAY) with krypton 85 measurements taken around La Hague spent fuel reprocessing plant	205
<i>Pelliccioni, A., T. Tirabassi and C. Gariazzo</i> Coupling of neural network and dispersion models: a novel methodology for air pollution models	210
<i>Sato, A. and K. Sada</i> Estimation of gas concentration fluctuations using a numerical model and comparison with those of wind tunnel experiments	215

<i>Yordanov, D., D. Syrakov and M. Kolarova</i> Parameterization of convective PBL using surface data for the wind and stability classes	220
<i>Middleton, D. R., N. L. Morrison (nee Ellis), G. G. Rooney and D. J. Thomson</i> A comparison of dispersion model met pre-processing with urban flux measurements from Birmingham U.K.	226
<i>Wallenfang, O., B. Dieckmann, P. Boeker and P. Shulze Lammers</i> Time dependent short distance dispersion modelling and the validation of the model	227
<i>Duran, J. and M. Fulop</i> Assessment of radiological impact of vent release of the Cyclotron Center in Bratislava	228
<i>Syrakov, E. and K. Ganev</i> Accounting for the effects of wind rotation in the PBL on the plume characteristics	232
<i>Pelliccioni, A., C. Gariazzo, S. Argentini and A. Viola</i> Use of neural network to model the PBL temperature profiles	237
 Topic 4. Urban scale and street canyon modelling; meteorology and air quality	
<i>Bezpalcova, K., Z. Janour, V. M. M. S. Prior, C. Soriano and M. Strizik</i> On wind velocity profiles over urban areas	239
<i>Borrego, C., A. I. Miranda, A. M. Costa, O. Tchepel, J. H. Amorim and H. Martins</i> Air quality modelling in European cities: a local scale perspective	244
<i>Carruthers, D. J., J. W. Blair and K. L. Johnson</i> Dispersion of air pollution in urban areas in the UK	249
<i>Cenedese, A. and G. Serafini</i> Urban scale modeling: investigation of a methodology in studying atmospheric flows in urban areas	254
<i>Coppalle, A., M. Talbaut and F. Corbin</i> Determination of wind speed profile parameters in the surface layer using a mini-sodar	259
<i>Duering, I., E. Schulze, J. Jacob, W. Reichenbaecher and A. Lohmeyer</i> Estimation of the "non exhaust pipe" PM10 emissions of streets for practical traffic air pollution modelling	264
<i>Hanna, S., R. Britter and P. Franzese</i> Simple screening models for urban dispersion	269
<i>Moussiopoulos, N., K. Karatzas and L. Kolognomou</i> An environmentally viable electronic city application (ENV-e-CITY) towards harmonization in the use of environmental information	274

<i>Kukkonen, J., A. Karppinen, J. Nikmo, N. Moussiopoulos, P. Louka, S. Larssen, T. Böhler and A. Lohmeyer</i> Survey of meteorological data for environmental impact assessments in the ENV-e-CITY project	278
<i>Kukkonen, J., M. Pohjola, M. Rantamaki and A. Karppinen</i> Evaluation of a severe air pollution episode in Helsinki, 27 - 29 December, 1995	282
<i>Kukkonen, J., A. Karppinen, J. Härkönen, P. Aarnio, T. Koskentalo, P. Tiitta and T. Raunemaa</i> A model for evaluating the concentrations of PM _{2.5} in urban areas	287
<i>Mensink, C., A. Colles, L. Janssen and J. Cornelis</i> Environmental impact assessment of air quality in street canyons related to Council directives 1999/30/EC and 2000/69/EC	292
<i>Mestayer, P. G., G. Vachon and J.-M. Rosant</i> The Nantes '99 data base for model validation of air quality in streets	297
<i>Moussiopoulos, N.</i> The contribution of SATURN to a better understanding of urban air pollution	301
<i>Pascheke, F., B. Leitl and M. Schatzmann</i> Comparison of boundary layer properties from field and wind tunnel measurements	306
<i>Pascheke, F., B. Leitl and M. Schatzmann</i> High resolution validation data for urban type dispersion modelling	311
<i>Trini Castelli, S., E. Ferrero and D. Anfossi</i> Turbulence statistics estimation and dispersion simulation scenarios in urban environment	315
<i>Venkatram, A., J. Upadhyay, J. Yuan, J. Heumann and J. Klewicki</i> The development and evaluation of a dispersion model for urban areas	320
<i>Chun-Ho Liu, M.C. Barth and D.Y. C. Leung</i> Analysis of flow and scalar transport in a modelled street Canyon by large-eddy simulation	325
<i>Müller, W. J., B. Heits and M. Schatzmann</i> A prototype station for the collection of urban meteorological data	326
<i>Soulhac, L., B. Carissimo, P. Mejean, R.J. Perkins and R. Van Liefferinge</i> A theoretical and experimental study of turbulent flow in the urban canopy	327
<i>Leuzzi, G.</i> A Sensitivity analysis of ADMS-Urban	328

<i>Lukanin, V. N., Y. K. Belyaev, A. P. Buslaev, O. V. Selesnev, A. G. Tatashev, M. V. Yashina</i>	
Traffic Flows. Modelling, control and evaluation of influence on the environment	333
<i>Venegas, L. E. and N. A. Mazzeo</i>	
A method for selection of background air quality monitoring sites in an urban area	339
Topic 5. Mesoscale meteorology and air quality modelling	
<i>Chitchebakov, A., M. Pagowski, J. Sloan, S. Soldatenko, X. Lin, R. Bloxam, S. Wong and P.K. Misra</i>	
Models-3/CMAQ evaluation during high particulate episodes over Eastern North America in summer 1995 and winter 1998	345
<i>Decanini, E., M. Pola, F. Polla Mattiot, M. Volta</i>	
Application of REMSAD and GAMES modelling systems on a particulate matter and ozone episode in Milan metropolitan area	350
<i>Mohan, M. and T. A. Siddiqui</i>	
Development of an atmospheric dispersion model for air quality assessment	355
<i>Page, T., D. Whyatt, S. Metcalfe, J. Nicholson and J. Hall</i>	
Quantifying uncertainties in sulphur and oxidised N deposition to Wales (UK) modelling using HARM	359
<i>San Jose, R., J.L. Perez and R.M. Gonzalez</i>	
Air quality modelling as a tool to evaluate the air quality industrial plant impact	364
<i>Slini, T., K. Karatzas and N. Moussiopoulos</i>	
Correlation of air pollution and meteorological data using neural networks	368
<i>Soriano, C., R. M. Soler, D. Pino, M. Alarcon, B. Physick and P. Hurley</i>	
Modeling different meteorological situations in Catalunya, Spain, with MM5 and TAPM mesoscale models	373
<i>Robe, F. R., Z. Wu and J. S. Scire</i>	
Real-time SO ₂ forecasting system with combined ETA analysis and CALPUFF modeling	379
<i>Anteplioglu, U., S. Topcu and S. Incecik</i>	
Meteorological and photochemical modeling of ozone high days in Istanbul	384
<i>Kitwiroon, N., E. Fragkou, R. S. Sokhi and D. Middleton</i>	
Application of MM5 and UAM-V to model the air pollution in London using an improved treatment of surface roughness	385
<i>Mikelinskiene, A. and A. Milukaite</i>	
Application of air mass trajectories for identification of air pollution sources	386

<i>Brechler, J.</i> A Project "Transformation of air pollution, modelling its transport and dispersion"	387
<i>Galperin, M., M. Sofiev, A. Maslyayev and S. Grigoryan</i> Complex assessment of the toxic pollution of the lake Baikal region	391
<i>Mironakis, K. A. and P. A. Kassomenos</i> Application of MM5 model in the north-west area of Greece. First results	396
<i>Abiodun, B. J. and V.O Ajayi</i> Mesoscale circulation over the Jos plateau (Nigeria). Numerical studies	401
<i>Milukaite, A. and A. Mikelinskiene</i> Identification of local and long -range sources of Benzo(a)pyrene and soot	402
 Topic 6. Environmental impact assessment: air pollution management and decision support systems. Transfer of EU environmental legislation to the candidate countries	
<i>Finardi, S., G. Agnesod, G. Brusasca, G. Calori, A. Nanni, G. Pession, G. Tinarelli and M. Zublena</i> Integrated air quality assessment of an Alpine Region: evaluation of the Mont Blanc tunnel re-opening effects	404
<i>Breznik, B., M. Z. Boznar, P. Mlakar and G. Tinarelli</i> Dose projection using dispersion models	409
<i>Cosemans, G. and J. Kretschmar</i> Pollution roses for 24 h averaged pollutant concentrations by regression	414
<i>Coutinho, M., C. Ribeiro and C. Borrego</i> Uncertainties of environmental impact assessment due to input modelling data variability	419
<i>Dimov, I., K. Georgiev and Z. Zlatev</i> Some source-receptor relations studied by the Danish Eulerian model	424
<i>Laupsa, H. and L. H. Slørdal</i> Applying model calculations to estimate urban air quality with respect to the requirements of the EU directives on NO ₂ , PM ₁₀ and C ₆ H ₆	429
<i>Mineter, M. J., A. N. Skouloudis, C. Jarvis and S. Dowers</i> Towards utilisation of the Grid in advanced environmental decision support	434
<i>Moldenhauer, A., J. Friebertshaeuser, A. Kostov, A. Tzenkova, J. Ivancheva, H. Lorenz and A. Lohmeyer</i> Air pollution modelling in the Bulgarian-German Twinning Project "Support of air quality management at local level"	439

<i>Pecha, P. and E. Pechova</i> Application of multi-pathway transport model for regulation of normal atmospheric radioactive discharges from nuclear facilities	444
<i>Syrakov, D., M. Prodanova and K. Slavov</i> Description and performance of bulgarian emergency response system	451
<i>Wesseling, J., J. den Boeft, G.A.C. Boersen, K. Hollander, K.D. van den Hout, M.P. Keuken, H. Spoelstra, S.D. Teeuwisse, O. Weinhold, P.Y.J. Zandveld</i> Development and validation of the new TNO model for the dispersion of traffic emissions	456
<i>Skouloudis, A. N. and M. J. Mineter</i> The long-term sustainability and socio-economic implications of integrated regulatory approaches	461
<i>Ivancheva, J., A. Tzenkova and D. Syrakov</i> On the use of measurement and climatic data for air pollution impact assessment	462
<i>Garcia, J. M., L.M.R. Coelho, A.Ribeirete, M. Nogueira, P. Machado and R.Magalhães</i> Air quality analysis in the city of Setubal - scenarios generation to support municipality decisions	468
<i>Tzenkova, A., J. Ivancheva and D. Syrakov</i> Meteorological preprocessing for air pollution impact assessment	474
<i>Keder, J.</i> Testing of the maximum ozone concentration prediction method based on typical weather situations	479
Index of authors	480